# Jobskin<sup>®</sup> Premium



# Medigarments Ltd™ DESIGNED AROUND YOU

## 506 Lower Extremity Order Form

| Order Details  Date: Date Required: Order No.: Contact Name:     |  |                          | First Name:                                  |                          |                         |  |                    |  |  |  |  |  |
|--|--|--------------------------|--|--------------------------|-------------------------|--|--------------------|--|--|--|--|--|
|  |  |                          |  |                          |                         |  | Contact Phone No.: |  |  |  |  |  |
|  |  |                          |  |                          |                         |  | Email:             |  |  | Please indicate: Male Female                 |  |  |
|  |  |                          |  |                          |                         |  |                    |  |  | Please indicate: New Patient Existing Patien |  |  |
| Delivery Address:  |  |                          |  |                          |                         |  |                    |  |  |  |  |  |
|  |  |                          |  |                          |                         |  |                    |  |  |  |  |  |
| Po   | ost Code:  |                          |  |                          |                         |  |                    |  |  |  |  |  |
| Fabrics  |  |                          |  |                          |                         |  |                    |  |  |  |  |  |
|  | □ <b>.</b>   |                          |  | D. J                     |                         |  |                    |  |  |  |  |  |
| Plain Powernet: Beige Classy Blue                                | Tan  Denim Bl  | ue Blac                  |  | Red                      | Raspberry               |  |                    |  |  |  |  |  |
|  |  |                          |  | D: 1 C                   | Green Camo              |  |                    |  |  |  |  |  |
| Printed Powernet: Unicorn  Blue Camo                             | Safari Cai   | rPaw                     | Print  | Pink Camo                | Green Camo              |  |                    |  |  |  |  |  |
|  |  |                          |  |                          |                         |  |                    |  |  |  |  |  |
| Zips   |  |                          |  |                          |                         |  |                    |  |  |  |  |  |
| Colour Matching Leopard  | Camoufla   | age Gala                 | xy   | Rainbow                  | Tribe                   |  |                    |  |  |  |  |  |
| Bindings   |  |                          |  |                          |                         |  |                    |  |  |  |  |  |
| None Daisies   | Roses  | Rain                     | bow Mermaid                                  | Pink Tribe               | Rocket                  |  |                    |  |  |  |  |  |
| B&W Football Pink Footb  | all Pink Hear  | rts Silve                | er Aztec                                     | Pink Aztec               | Spots & Stripes         |  |                    |  |  |  |  |  |
| Thread   |  |                          |  |                          |                         |  |                    |  |  |  |  |  |
|  |  |                          |  |                          |                         |  |                    |  |  |  |  |  |
| Colour Matching Beige  | White  | Tan                      |  | Pastel Pink              | Bright Pink             |  |                    |  |  |  |  |  |
| Red Purple   | Green  | Paste                    | el Blue                                      | Royal Blue               | Denim Blue              |  |                    |  |  |  |  |  |
| Navy Blue Black  |  |                          |  |                          |                         |  |                    |  |  |  |  |  |
| Garment - please indicate qu                                     | , ,  | •                        | boxes below, i.e.                            | 2                        |                         |  |                    |  |  |  |  |  |
| 0035 1113  | 1103   | 1101                     | 1119   | 0201                     | 0015                    |  |                    |  |  |  |  |  |
| Chap style, one leg Waist Height thigh length with One Leg Panty | Waist Height<br>One Leg  | Waist Height<br>Two Legs | Panty Girdle, both<br>legs above knee        | Thigh Length<br>Stocking | Knee Band<br>any length |  |                    |  |  |  |  |  |
| waist attachment Open Pubis                                      | Open Pubis   | Open Pubis               | Open Pubis                                   | Left Right               | Left Right              |  |                    |  |  |  |  |  |
| Left Right Closed Pubis  | Left Right   | Closed Pubis             | Closed Pubis                                 |                          |                         |  |                    |  |  |  |  |  |
|  |  |                          | 1111   | 0101                     | 0105                    |  |                    |  |  |  |  |  |
|  |  |                          | Panty Girdle, one or                         | Knee Length              | Anklet                  |  |                    |  |  |  |  |  |
|  |  |                          | both legs below knee,<br>any length, no feet | Stocking Left Right      | Left Right              |  |                    |  |  |  |  |  |
|  |  |                          | Open Pubis                                   |                          |                         |  |                    |  |  |  |  |  |
|  |  |                          | Closed Pubis                                 |                          |                         |  |                    |  |  |  |  |  |
|  |  |                          |  |                          |                         |  |                    |  |  |  |  |  |
|  |  |                          |  |                          |                         |  |                    |  |  |  |  |  |
| 1 m m m  | The state of the s |                          |  |                          |                         |  |                    |  |  |  |  |  |
|  |  |                          |  |                          |                         |  |                    |  |  |  |  |  |

When completed, please click: customerservice@jobskin.co.uk to email your electronic order form



## Medigarments Ltd™

DESIGNED AROUND YOU

### 506 Lower Extremity Order Form

Order No.: Patient Re

#### NOTE:

#### Linear Measurements

All linear measurements are taken from the back of the patient with the patient standing. If the patient cannot stand, lay them down on their side.


#### Circumferential Measurements

With each circumferential measurement we suggest that you leave the circumference tape in place before proceeding to measure the corresponding linear measurements.

#### Height measurements

The patient must remove shoes prior to measuring. Measure all heights down to the floor with the patient standing.

It is important that all height measurements are accurate.







| Circu  | mferenc  | e Measurem  | nents   |  | (cm)   |  |
|--|--|---|---|--|--|--|
| 1  | Desired to   | op of support (tal  | ke if garment is abo  | ove wais                                   | t)   |  |
| 3  | Waist  |   |   |  |  |  |
| 5  | Top of bu  | ttocks  |   |  |  |  |
| 7  | Largest p  |   |   |  |  |  |
| 9  | <b>Proximal thigh left</b> (at fold of buttocks) Ensure the tape is not lying at an angle  |   |   |  |  |  |
| 10   |  | thigh right (as abo   | ove)  |  |  |  |
| _enat  | h Meası  | urement   |   |  | (cm)   |  |
| 2  | 1  | op of support to  | the floor   |  | , , ,  |  |
| 4  | Waist to the floor   |   |   |  |  |  |
| 6  | Top of buttocks to the floor   |   |   |  |  |  |
| 8  | Largest part of buttocks to the floor  |   |   |  |  |  |
| 11   |  | uttocks to the floogluteal fold)  | <b>or</b> (Tuck the tape v  | vell in                                    |  |  |
| Style  | Options  |   |   |  |  |  |
| _  | ease tick)   |   |   |  |  |  |
| Left   | : Open   | Left Closed   | Right Open  | n F  | Right Closed   |  |
|  |  |   |   | Left (cn                                   | n) Right (cm   |  |
| Closed   | l toe only: f  | oot length requi  | red   |  |  |  |
| Zipper (Please tick location)  |  |   |   | Left                                       | Right  |  |
| Late   | eral aspect  | (standard)  |   |  |  |  |
| =-   | dial aspect  |   |   |  |  |  |
| ly Op  | pening   |   | y (Standard lining  | fabric)                                    |  |  |
| No<br>Dia  | Dening<br>Fly<br>gonal Fly   | Horizontal Fl Standard Lin Powernet Fa  | ing Fabric (light p   | oressure)                                  |  |  |
| No Dia   | pening Fly gonal Fly fications   | Horizontal F  | ing Fabric (light pbric (for a snug fit)  | oressure)                                  | )<br>if required)  |  |
| No Dia   | pening Fly gonal Fly fications   | Horizontal Fl Standard Lin Powernet Fa s/Design Ch  | ing Fabric (light p   | oressure)                                  |  |  |
| No Dia  Modi  Item de  | pening Fly gonal Fly fications escription leel reinford  | Horizontal Fl Standard Lin Powernet Fa  | ing Fabric (light pbric (for a snug fit)  | (tick                                      | if required) Right   |  |
| No Dia Dia Modi Item de Extra he wear are Pocket pads to   | pening Fly gonal Fly fications escription eel reinforceas) (sewn in for  | Horizontal Fl Standard Lin Powernet Fa  s/Design Che cements (for high the insertion of pressure to certain   | ing Fabric (light p<br>bric (for a snug fit)<br>oice<br>Product Code  | (tick  Left  Use                           | if required)  Right  Silon-TEX II  |  |
| No Dia  Modi  Item de  Extra havear are  Pocket pads to areas) P   | pening Fly gonal Fly fications escription leel reinforceas) (sewn in for apply extra properties)   | Horizontal Fl Standard Lin Powernet Fa s/Design Che cements (for high the insertion of pressure to certain y position   | ing Fabric (light p<br>bric (for a snug fit)<br>oice<br>Product Code  | (tick  Left  Use                           | if required)  Right  Silon-TEX II ement pad to   |  |
| No Dia Dia Modi Item de Extra he wear are Pocket pads to areas) P Lining Self en   | fications escription leel reinforceas) (sewn in for apply extra please specify behind knew closed toe  | Horizontal Fl Standard Lin Powernet Fa s/Design Che cements (for high the insertion of pressure to certain y position   | ing Fabric (light p<br>bric (for a snug fit)<br>oice<br>Product Code<br>0020                                | (tick  Left  Use                           | if required)  Right  Silon-TEX II ement pad to   |  |
| No Dia Dia Modi Item de Extra h wear are Pocket pads to areas) P Lining Self en (no sear   | fications escription eel reinforceas) (sewn in for apply extra please specify behind knew iclosed toems)   | Horizontal Fl Standard Lin Powernet Fa s/Design Che cements (for high the insertion of pressure to certain y position ee  | ping Fabric (light ports) bric (for a snug fit)  oice  Product Code  0020  0027  0040                       | (tick  Left  Use                           | if required)  Right  Silon-TEX II ement pad to   |  |
| No Dia Dia Dia Modi Item de Extra he wear are Pocket pads to areas) P Lining Self en (no sear Soft en Braces   | fications escription eel reinforceas) (sewn in for apply extra please specify behind knew iclosed toems)   | Horizontal Fl Standard Lin Powernet Fa s/Design Che cements (for high the insertion of pressure to certain position ee in base fabric in lining fabric  | ing Fabric (light porice)  Product Code  0020  0027  0040  1159   | (tick  Left  Use place mar  Deta Velc  Sew | Right Silon-TEX II tement pad to k position achable with ro  |  |
| No Dia Dia Vlodi Item de Extra h wear are Pocket pads to areas) P Lining Self en (no sear Soft en Braces give len Velcro   | fications escription leel reinforceas) (sewn in for apply extra please specify behind knew closed toems) closed toems) sclosed toems /straps with gth: tabs (set of  | Horizontal Fl Standard Lin Powernet Fa  s/Design Che cements (for high the insertion of pressure to certain y position ee in base fabric in lining fabric  Velcro*                            | ing Fabric (light porice)  Product Code  0020  0027  0040  1159  1160                                       | (tick  Left  Use place mar  Deta Velc  Sew | Right Silon-TEX II Exposition Silon-TEX II Exposition E |  |
| No Dia Dia Vlodi Item de Extra h wear are Pocket pads to areas) P Lining Self en (no sear Soft en Braces give len Velcro attachm                                   | fications escription e | Horizontal Fl Standard Lin Powernet Fa  s/Design Che cements (for high the insertion of pressure to certain y position ee in base fabric in lining fabric  Velcro*                            | ing Fabric (light porice)  Product Code  0020  0027  0040  1159  1160  1162                                 | (tick  Left  Use place mar  Deta Velc  Sew | Right Silon-TEX II tement pad to k position achable with ro  |  |
| No Dia Dia Vlodi Item de Extra he wear are Pocket pads to areas) P Lining Self en (no sear Soft en Braces give len Velcro attachm Short z position                 | fications escription eel reinforceas) (sewn in for apply extra please specify behind knew inclosed toems) inclosed toems) inclosed toems) itabs (set of lents) itipper (<20 in)  | Horizontal Fl Standard Lin Powernet Fa  s/Design Che cements (for high the insertion of pressure to certain y position ee in base fabric in lining fabric Velcro* cm 4 for vest               | ing Fabric (light pric (for a snug fit)  oice  Product Code  0020  0027  0040  1159  1160  1162  1163       | (tick  Left  Use place mar  Deta Velc  Sew | Right Silon-TEX II tement pad to k position achable with ro  |  |
| No Dia Dia Vlodi Item de Extra he wear are Pocket pads to areas) P Lining Self en (no sear Soft en Braces give len Velcro attachm Short z positior Long z positior | fications escription eel reinforceas) (sewn in for apply extra please specify behind knew inclosed toems) inclosed toems) inclosed toems) itabs (set of lents) itipper (<20 in)  | Horizontal Fl Standard Lin Powernet Fa  5/Design Che cements (for high the insertion of pressure to certain y position ee in base fabric in lining fabric Velcro* cm 4 for vest cm) (indicate | ing Fabric (light pric (for a snug fit)  oice  Product Code  0020  0027  0040  1159  1160  1162  1163  1164 | (tick  Left  Use place mar  Deta Velc  Sew | Right Silon-TEX II tement pad to k position achable with ro  |  |

### Leg Measurements

Taken while the patient is lying down or semi-prone with the leg elevated and the foot in a normal relaxed position.

(use PURPLE paper tape for full leg and GREEN paper tape for half leg)

| Left (cm) | Right (cm)        |  |  |
|-----------|-------------------|--|--|
|           | Distal<br>Pleat   |  |  |
|           | -71/2             |  |  |
|           | -6                |  |  |
|           | -41/2             |  |  |
|           | -3                |  |  |
|           | -11/2             |  |  |
|           | Heel 0            |  |  |
|           | +11/2             |  |  |
|           | +3                |  |  |
|           | +41/2             |  |  |
|           | +6                |  |  |
|           | +7½               |  |  |
|           | +9                |  |  |
|           | +10½              |  |  |
|           | +12               |  |  |
|           | +13½              |  |  |
|           | +15               |  |  |
|           | +16½              |  |  |
|           | +18               |  |  |
|           | +19½              |  |  |
|           | +21               |  |  |
|           | +22½              |  |  |
|           | +24               |  |  |
|           | +25½              |  |  |
|           | +27               |  |  |
|           | +28½              |  |  |
|           | +30               |  |  |
|           | +31½              |  |  |
|           | +33               |  |  |
|           | +34½              |  |  |
|           | +36               |  |  |
|           | Proximal<br>Pleat |  |  |

#### NOTE:

If the circumferential paper tapes will not accommodate the size of the patient, extend their length by using the paper extension tapes.